


The background of the advertisement is a black and white photograph of a construction site. In the upper half, a large, curved steel beam is being lifted by a crane's hook. In the lower half, a large pile of construction materials is covered with a wrinkled tarp. The overall scene is industrial and emphasizes heavy construction work.

Aceros para construcción

www.dalsa.mx



ACERO PARA CONSTRUCCION


Varilla Corrugada



MASA (peso/metro)

NUMERO DE DESIGNACIÓN	DIAMETRO (PULGADA)	KG POR PIEZA DE 12 MTS
3	3/8	6.70
4	1/2	12.0
5	5/8	19.0
6	3/4	27.3
8	1	48.5
10	1 1/4	75.0
12	1 1/2	108.0

Malla electrosoldada




***Rollo de 2.50m x 40m**

PRODUCTO	DIAMETRO ALAMBRE (MM)	PESO KG/M2
66-1010	3.43	.97
66-66	4.88	1.97

ACERO PARA CONSTRUCCION

Alambrón



DIAMETRO		RENDIMIENTO
PULGADA	MM	M/KG
1/4	6.3	4

Alambre recocido



DIAMETRO	RENDIMIENTO
MM	M/KG
1.78	51

Armex



***Long. 6.0m**

PRODUCTO	SECCION DE CONCRETO(CM)	SECCION DE ARMADURA(CM)	PESO
15-15-3	15 X 15	10 X 10	6.04
15-15-4	15 X 15	10 X 10	7.92